[7] H. Rau, M.Y. Wu, and H.M Wee, “Integrated inventory model for deteriorating items under a multi-echelon supply chain environment”, International Journal of Production Economics, Vol. 86, pp. 155-168, 2003.
[8] G. A. Widyadana, and H.M Wee, “An economic production quantity model for deteriorating items with multiple production setups and rework”, International Journal of Production Economics, Vol. 138, pp. 62-67, 2012.
[9] H.M. Wee, and G.A. Widyadana, “A production model for deteriorating items with stochastic preventive maintenance time and rework process with FIFO rule”, Omega, Vol. 41, pp. 941-954, 2013.
[10] R. Li, H. Lan, and J.R. Mawhinney, “A review on Deteriorating Inventory Study”, J. Service Science & Management, Vol. 3, pp. 117-129, 2010.
[11] M. Baker, J. Riezebos, and R.H. Teunter, “Review on inventory systems with deterioration since 2001”, European Journal of Operational Research, Vol. 221 (2), pp. 275-284, 2012.
[12] H.S. Hwang, “A food distribution model for famine relief”, Computers & Industrial Engineering, Vol. 37, pp. 335-338, 1999.
[13] C.I. Hsu, S.F. Hung, and H.C. Li, “Vehicle routing problem with time windows for perishable food delivery”, Journal of Food Engineering, Vol. 80, pp. 465-475, 2007.
[14] A. Osvald, and L.Z. Stirn, “A vehicle routing algorithm for the distribution of fresh vegetables and similar perishable food”, Journal of Food Engineering, Vol. 85, pp. 285-295, 2008.
[15] L.C. Coelho, and G. Laporte, “Optimal joint replenishment, delivery and inventory management policies for perishable products”, Computers & Operations Research, Vol. 47, pp. 42-52, 2014.
[16] D. Popovic, M. Vidovic, and G. Radivojevic . “Variable Neighborhood Search Heuristic for The Inventory Routing Problem in Fuel Delivery”, Expert Systems with Application, Vol. 39, pp. 13390-13398, 2012.
[17] M. Stalhane, J.B. Rakke, C.R. Moe, H. Andersson, M. Christiansen, and K. Fagerholt, “A construction and improvement heuristic for a liquefied natural gas inventory routing problem”, Computers and Industrial Engineering, Vol. 62 (1), pp. 245-255, 2012.
[18] T.J. Ai, and V. Kachitvichyanukul, “A particle swarm optimization for the vehicle routing problem with simultaneous pickup and delivery”, Computers & Operations Research, Vol. 36, pp. 1693-1702, 2009.
[19] Y. Marinakis and M. Marinaki, “A hybrid genetic – Particle swarm optimization algorithm for the vehicle routing problem”, Expert Systems with Applications, Vol. 37, pp. 1446-1455, 2010.
[20] S.A. MirHassani , and N. Abolghasemi, “A particle swarm optimization algorithm for open vehicle routing problem”, Expert Systems with Applications, 38, 11547-11551, 2011.
[21] B.F. Moghaddam, R. Ruiz, and S.J. Sadjadi, “Vehicle Routing Problem with Uncertain Demands: An Advanced Particle Swarm Algorithm”, Computers & Industrial Engineering, Vol. 62 (1), pp. 306-317, 2012.