























- [63] R. M. Satheesh Kumar, P. Asokan, and S. Kumanan, "An artificial immune system-based algorithm to solve linear and loop layout problems in flexible manufacturing systems," *Int. J. Prod. Dev.*, vol. 10, no. 1/2/3, p. 165, 2010.
- [64] J. Balakrishnan and C. H. Cheng, "Dynamic layout algorithms: a state-of-the-art survey," *Omega*, vol. 26, no. 4, pp. 507–521, Aug. 1998.
- [65] G. Meng, S. S. Heragu, and H. Zijm, "Reconfigurable layout problem," *Int. J. Prod. Res.*, vol. 42, no. 22, pp. 4709–4729, Nov. 2004.
- [66] S. Heragu, G. Meng, W. H. M. Zijm, and J. C. W. Van Ommeren, "Design and analysis of reconfigurable layout systems," Enschede, The Netherlands, 2001.
- [67] M. R. Abdi, "Layout configuration selection for reconfigurable manufacturing systems using the fuzzy AHP," *Int. J. Manuf. Technol. Manag.*, vol. 17, no. 1/2, pp. 149 – 165, 2009.
- [68] M. M. Azevedo, J. A. Crispim, and J. P. de Sousa, "Flexible and Reconfigurable Layouts in Complex Manufacturing Systems," in *Advances in Production Management Systems. Competitive Manufacturing for Innovative Products and Services. IFIP Advances in Information and Communication Technology*, vol. 397, C. Emmanouilidis, M. Taisch, and D. Kiritsis, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2013, pp. 484–493.
- [69] H. a. El Maraghy, "Flexible and reconfigurable manufacturing systems paradigms," *Flex. Serv. Manuf. J.*, vol. 17, pp. 261–276, 2006.
- [70] J. S. Kochhar and S. S. Heragu, "Facility layout design in a changing environment," *Int. J. Prod. Res.*, vol. 37, no. 11, pp. 2429–2446, Jul. 1999.
- [71] M. J. Wang, M. H. Hu, and M. H. Ku, "A solution to the unequal area facilities layout problem by genetic algorithm," *Comput. Ind.*, vol. 56, no. 2, pp. 207–220, 2005.
- [72] B. H. Ulutaş and S. Kulturel-Konak, "An artificial immune system based algorithm to solve unequal area facility layout problem," *Expert Syst. Appl.*, vol. 39, no. 5, pp. 5384–5395, Apr. 2012.
- [73] S. Kulturel-Konak, "Approaches to uncertainties in facility layout problems: Perspectives at the beginning of the 21st Century," *J. Intell. Manuf.*, vol. 18, no. 2, pp. 273–284, Jul. 2007.
- [74] K. S. Sangwan, "Fuzziness in Materials Flow and Plant Layout," in *Production Engineering and Management under Fuzziness*, C. Kahraman and M. Yavuz, Eds. Berlin, Heidelberg: Springer-Verlag Berlin Heidelberg, 2010, p. 565.
- [75] C. Kahraman, M. Yavuz, and İ. Kaya, "Fuzzy and Grey Forecasting Techniques and Their Applications in Production Systems," in *Production Engineering and Management under Fuzziness*, C. Kahraman and M. Yavuz, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2010, pp. 1–24.
- [76] B. K. Wong and V. S. Lai, "A survey of the application of fuzzy set theory in production and operations management: 1998–2009," *Int. J. Prod. Econ.*, vol. 129, no. 1, pp. 157–168, Jan. 2011.
- [77] A. L. Guiffreda and R. Nagi, "Fuzzy Set Theory Applications in Production Management Research: A Literature Survey," *J. Intell. Manuf.*, vol. 9, pp. 39–56, 1998.
- [78] A. Bryan, S. J. Hu, and Y. Koren, "Assembly System Reconfiguration Planning," *J. Manuf. Sci. Eng.*, vol. 135, no. August 2013, p. 041005, 2013.
- [79] M. Landherr and E. Westkämper, "Integrated product and assembly configuration using systematic modularization and flexible integration," *Procedia CIRP*, vol. 17, pp. 260–265, 2014.
- [80] S. Cavin and N. Lohse, "Multi-Level Skill-Based Allocation Methodology for Evolvable Assembly Systems," in *12th IEEE International Conference on Industrial Informatics*, 2014, pp. 532–537.
- [81] M. Fanli, T. Dalong, and W. Yuechao, "Modeling of Common Organizational Structure for Reconfigurable Assembly System," in *2006 6th World Congress on Intelligent Control and Automation*, 2006, vol. 2, pp. 6738–6743.
- [82] G. T. S. Ho, H. C. W. Lau, N. S. H. Chung, and W. H. Ip, "Fuzzy Measurement in Quality Management Systems," in *Production Engineering and Management under Fuzziness*, C. Kahraman and M. Yavuz, Eds. Berlin, Heidelberg: Springer-Verlag Berlin Heidelberg, 2010, pp. 515–536.
- [83] W. H. Elmaraghy, O. A. Nada, and H. A. Elmaraghy, "Quality prediction for reconfigurable manufacturing systems via human error modelling," *Int. J. Comput. Integr. Manuf.*, vol. 21, no. 5, pp. 584–598, Jul. 2008.
- [84] C. Díaz-Ovalle, R. Vázquez-Román, J. de Lira-Flores, and M. S. Mannan, "A model to optimize facility layouts with toxic releases and mitigation systems," *Comput. Chem. Eng.*, vol. 56, pp. 218–227, 2013.
- [85] C. Díaz-Ovalle, R. Vázquez-Román, and M. Sam Mannan, "An approach to solve the facility layout problem based on the worst-case scenario," *J. Loss Prev. Process Ind.*, vol. 23, no. 3, pp. 385–392, May 2010.
- [86] C. O. Diaz, R. Vázquez-Román, S. Jung, and M. S. Mannan, "A comparison of deterministic and stochastic approaches to solve the facility layout problem with toxic releases," *Comput. Aided Chem. Eng.*, vol. 26, pp. 93–98, 2009.
- [87] K. Park, J. Koo, D. Shin, C. J. Lee, and E. S. Yoon, "Optimal multi-floor plant layout with consideration of safety distance based on mathematical programming and modified consequence analysis," *Korean J. Chem. Eng.*, vol. 28, no. 4, pp. 1009–1018, 2011.
- [88] S. Jayakumar and G. V. Reklaitis, "Chemical plant layout via graph partitioning-1. Single level," *Comput. Chem. Eng.*, vol. 18, no. 5, pp. 441–458, May 1994.
- [89] A. López-Molina, R. Vázquez-Román, M. S. Mannan, and M. G. Félix-Flores, "An approach for domino effect reduction based on optimal layouts," *J. Loss Prev. Process Ind.*, vol. 26, no. 5, pp. 887–894, 2013.
- [90] J. de Lira-Flores, R. Vázquez-Román, A. López-Molina, and M. S. Mannan, "A MINLP approach for layout designs based on the domino hazard index," *J. Loss Prev. Process Ind.*, vol. 30, pp. 219–227, 2014.
- [91] N. Khakzad and G. Reniers, "Risk-based design of process plants with regard to domino effects and land use planning," *J. Hazard. Mater.*, vol. 299, pp. 289–297, Dec. 2015.