



















- [14] Xiao, J., Yang, H., Zhang, C., Zheng, L., & Jatinder N D Gupta. (2015). A hybrid lagrangian-simulated annealing-based heuristic for the parallel-machine capacitated lot-sizing and scheduling problem with sequence-dependent setup times. *Computers & Operations Research*, 63, 72-82.
- [15] Fiorotto, D. J., & de Araujo, S. A. (2014). Reformulation and a lagrangian heuristic for lot sizing problem on parallel machines. *Annals of Operations Research*, 217(1), 213-231
- [16] Mohammadi, M., Torabi, S. A., Fatemi Ghomi, S. M. T., & Karimi, B. (2010). MIP-based heuristics for lotsizing in capacitated pure flow shop with sequence-dependent setups. *International Journal of Production Research*, 48(10), 2957-2973.
- [17] Babaei, M., Mohammadi, M., & Ghomi, S M. T. Fatemi. (2014;2013;). A genetic algorithm for the simultaneous lot sizing and scheduling problem in capacitated flow shop with complex setups and backlogging. *The International Journal of Advanced Manufacturing Technology*, 70(1), 125-134.
- [18] Ramezani, R., Saidi-Mehrabad, M., & Teimoury, E. (2013). A mathematical model for integrating lot-sizing and scheduling problem in capacitated flow shop environments. *The International Journal of Advanced Manufacturing Technology*, 66(1), 347-361.
- [19] Mohammadi, M., & Fatemi Ghomi, S. M. T. (2011). Genetic algorithm-based heuristic for capacitated lotsizing problem in flow shops with sequence-dependent setups. *Expert Systems with Applications*, 38(6), 7201-7207.
- [20] Mohammadi, M., Torabi, S. A., Fatemi Ghomi, S M. T., & Karimi, B. (2010). A new algorithmic approach for capacitated lot-sizing problem in flow shops with sequence-dependent setups. *The International Journal of Advanced Manufacturing Technology*, 49(1), 201-211.
- [21] Almada-Lobo, B., Klabjan, D., Carravilla, M. A., & Oliveira, J. F. (2010). Multiple machine continuous setup lotsizing with sequence-dependent setups. *Computational Optimization and Applications*, 47(3), 529-552.
- [22] Nascimento, M. C. V., Resende, M. G. C., & Toledo, F. M. B. (2010). GRASP heuristic with path-relinking for the multi-plant capacitated lot sizing problem. *European Journal of Operational Research*, 200(3), 747-754.
- [23] Zhang, M. (2015). Capacitated lot-sizing problem with outsourcing. *Operations Research Letters*, 43(5), 479-483.
- [24] Almeder, C., Klabjan, D., Traxler, R., & Almada-Lobo, B. (2015). Lead time considerations for the multi-level capacitated lot-sizing problem. *European Journal of Operational Research*, 241(3), 727-738.
- [25] Tempelmeier, H., & Hilger, T. (2015). Linear programming models for a stochastic dynamic capacitated lot sizing problem. *Computers & Operations Research*, 59, 119-125.
- [26] Kantas, A. B., Cobuloglu, H. I., & Büyüktaktakın, İ. E. (2015). Multi-source capacitated lot-sizing for economically viable and clean biofuel production. *Journal of Cleaner Production*, 94, 116-129.
- [27] Lu, Z., Zhang, Y., & Han, X. (2013). Integrating run-based preventive maintenance into the capacitated lot sizing problem with reliability constraint. *International Journal of Production Research*, 51(5), 1379.
- [28] Xiao, J., Zhang, C., Zheng, L., & Gupta, J. N. D. (2013). MIP-based fix-and-optimize algorithms for the parallel machine capacitated lot-sizing and scheduling problem. *International Journal of Production Research*, 51(16), 1-18.