

- [22] D. H. Wolpert and W. G. Macready, "No free lunch theorems for optimization, " *Evolutionary Computation*, IEEE Transactions on, vol. 11, no. 67-82, 1997
- [23] S. Mirjalili, "The ant lion optimizer," *Advances in Engineering Software*, vol. 83, pp. 80-98, 2015
- [24] I. C. Trelea, "The particle swarm optimization algorithm: convergence analysis and parameter selection," *Information processing letters*, vol. 85, no. 6, pp. 317-325, 2003.
- [25] S. Saremi, S. Mirjalili, A. Lewis, "Biogeography-based optimisation with chaos," *Neural Computing and Applications*, vol. 25, no. 5, pp. 1077-1097, 2014.
- [26] L. dos Santos Coelho and V. C. Mariani, "Firefly algorithm approach based on chaotic Tinkerbell map applied to multivariable PID controller tuning," *Computers & Mathematics with Applications*, vol. 64, no. 8, pp. 2371-2382, 2012.
- [27] L. dos Santos Coelho and M. W. Pessôa, "A tuning strategy for multivariable PI and PID controllers using differential evolution combined with chaotic Zaslavskii map," *Expert Systems with Applications*, vol. 38, no. 11, pp. 13694-13701, 2011.
- [28] Y. Cao, Z. Liu, "Strange attractors in the orientation-preserving Lozi map," *Chaos Solitons and Fractals*, vol. 9, no. 11, pp. 1857-1864, 1998.
- [29] A. Askarzadeh and L. dos Santos Coelho, "A backtracking search algorithm combined with Burger's chaotic map for parameter estimation of PEMFC electrochemical model," *International Journal of Hydrogen Energy*, vol. 39, no. 21, pp. 11165-11174, 2014.
- [30] J. Wang, W. Yuan and D. Cheng, "Hybrid genetic-particle swarm algorithm: An efficient method for fast optimization of atomic clusters," *Computational and Theoretical Chemistry*, vol. 1059, pp. 12-17, 2015.
- [31] X. H. Shi, Y. C. Liang, H. P. Lee, C. Lu and L. M. Wang, "An improved GA and a novel PSO-GA-based hybrid algorithm," *Information Processing Letters*, vol. 93, no. 5, pp. 255-261, 2005.
- [32] R. A. Abbaspour and F. Samadzadegan, "Time-dependent personal tour planning and scheduling in metropolises," *Expert Systems with Applications*, vol. 38, no. 10, pp. 12439-12452, 2011.
- [33] A.A. Heidari, R.A. Abbaspour, A.R. Jordehi, "An efficient chaotic water cycle algorithm for optimization tasks, " *Neural Computing and Applications*, in press.

BIOGRAPHY

Ali Asghar Heidari is currently an Exceptional Talented Ph. D. Student in Geospatial Information System (GIS) Engineering at School of Surveying and Geospatial Engineering, College of Engineering, University of Tehran, Tehran, Iran (Born in 1989). He earned B.S. and M.S. Degrees at University of Tehran as an Exceptional Talented Student in Geospatial and GIS Engineering, honorably. He Recently Received a Brilliant Scholar Admission at Ph. D. Degree at University of Tehran. Up to 2015, He has Published Several Journal and Conference Papers. His Leading Study Interests include Chaos, Optimisation, Metaheuristics, Spatial Analysis, Spatial Modeling, Path Planning and Evolutionary computation.

Rahim Ali Abaspour is an Honored Fulltime Assistant Professor at School of Surveying and Geospatial Engineering, College of Engineering, University of Tehran, Tehran, Iran. He Successfully Fulfilled His B.S., M.S. and Ph. D. in Geospatial and GIS Engineering at University of Tehran (UT). Up to 2015, He has Published Many Journal and Conference Papers. His Main Research Interests are Metaheuristics, GIS, Spatial Analysis, Spatial Modeling, LBS, VGI, Planning and Evolutionary computation.