

Reducing Lower Back Injuries by Utilizing Self-Loading Equipment for Adaptive Sit-Skis

Elizabeth O'Neill, Tiffany Fuzak and Keith McDade

State University of New York

Buffalo State College

1300 Elmwood Avenue Buffalo, NY 14222

oneillea@buffalostate.edu, fuzaktd@buffalostate.edu, mcdadekt01@mail.buffalostate.edu

Abstract

The revised 1994 National Institute for Occupational Safety and Health's NIOSH Lifting Equation (NLE) is widely used to assess the risk of injury to the spine by providing estimates of the Recommended Weight Limits (RWL) for hands. This adaptive snow-sports (skiing/snowboard) study uses the predictive equations to identify lifting situations that put adaptive instructors at risk (>2.0 LI) for lower back injuries during a routine lift of a sit-ski onto a chairlift. Using NIOSH lifting equation calculations, along with predictive equations of spinal loads using the trunk and pelvic flexion, have identified that under the RWL's calculated during our lifting activities, spinal loads exceed the recommended safe compression and shear force levels.

Keywords

Adaptive Snow-Sports, Manual Lift of Sit-Ski, Twisting Posture During Lifting, and Lower Back Injury.

1. Introduction

The original survey data was collected to find, eliminate barriers, and other issues may hinder people from participating actively in the sport (>3 times) along with any equipment issues they may have with adaptive snow-sports (skiing and snowboarding) used in the industry today. Through research collected during the 2018/2019 snow-sports season from various resorts across the United States, the study identified that manual lifting of adaptive sit-skis was a significant issue. Fifty-one percent of these instructors have been involved with the sport for >20 years. They come from across the United States with variable years of experience in adaptive snow-sports. Our survey data was collected from 85+ people that are either adaptive snow-sports instructors, participants, and manufacturers, which including Professional Ski Instructors of America (PSIA) and Rehabilitation Engineering Society of North America (RESNA). Comparing statistical data to simplify the top three issues while comparing variables to identify other issues after cost, being number one, with data collected from both groups (participants and instructors). Many areas may have different or similar barriers to participation, but that will be discussed in the full report. Many equipment problems have been compared to both groups as well, so we can identify what each group sees as a problem. Using the equipment issues and barriers to participation, categorized them for analysis, graphing the similar variables, and compare them to what the instructors see as an issue versus the participants' view. We started to see trends after calculating some basic statistics. After removing the geographic information, we started to see what similar issues/barriers are common to both groups. Identifying these similarities and common trends, we can seek out future solutions to these problems and improve the future of the adaptive snow-sports industry. The one major area for improvement was chairlift loading and unloading for both groups of people surveyed. They both identified this as an area that needed improvement.

2. Research

Study scored the issues/problems from the data collected and input them according to coding by number. (0, 10, 20, etc.) Numbers are the same for both groups analyzed (participants/instructors) then prioritized the issues identifying lifting as number one next to cost. Additionally, NLE data were calculated using real-life lifting scenarios that were measured in the field. Additional ergonomic software programs were used (Ergonomics Plus and Jack Software) to verify lift analysis.

The first group surveyed was the adaptive snow-sports instructors. The instructors identified equipment issues they saw regularly. They were asked to list the most frequent equipment issues or failures they witnessed from instruction. These could have listed multiple issues but to list the more frequent ones first. Helping categorize the most frequent issues with adaptive snow-sports equipment. Instructors were also asked to list any barriers that they see to participation in adaptive snow-sports. These barriers were identified in another paper presented at American Society of Engineering Educators, 2022 conference. Using similar categories, identified issues with participation, according to the second group surveyed. All survey questions were posed from the point of view of the two groups. This information was categorized using the code numbers for the instructor data collected. After collecting data from the two groups, the study compared the groups and the issues that existed. Comparing the equipment problems and barriers to participation in adaptive snow-sports. This comparison further identified the hazards associated with adaptive instruction, manual lifting of a sit-ski loading onto a chairlift. Further scrutinization of the lifting techniques using computer software was modeled to re-create the manual lift of a sit-ski onto a chairlift. The limitations of the Jack software were no able to perform the tasks in a manner similar to the manual lift. The trial of this computer model showed that it is impossible to re-create that type of manual lift. Showing that it was far from the traditional manual lifting methods used in industry today. All weight limits, and lift techniques were not found in the computer database. Using the revised NIOSH lift equation, identified this manual lift of an adaptive sit-ski poses a dangerous risk to those performing the task. The instructors are assuming a risk that they may not be aware exists.

All figures and tables below will be used to compare and analyze the two groups and compare the data respectively. Once this data identified the areas of risk. Calculations are done using NLE guidelines and identify the risks of lifting tasks required of adaptive snow-sports instructors. Additional calculations using the same data was done for NLE verification (Ergonomics Plus, Jack Software).



Figure 1. THE PICTURE OF SELF-LOADING A SIT-SKI

All data initially was focused on participants in adaptive snow-sports and was not focused on the two issues that were uncovered. Once aligning the equipment issues side by side, it was apparent that lifting issues were a larger problem. Even participants identified lift/loading as a problem even though they did not participate in the process. Looking at lift issues more closely, the equipment problems that exist, and the barriers to participation. The study observed pictures and video, identifying lift loads as a primary hazard to all adaptive snow-sport instructors. After finding NLE and using field measurements, research uncovered that the risk for a lower back injury was at or above 2.5. Sometimes even over 3.0; over the NLE recommended lift index of <1.0 for all manual lifts. According to the NIOSH revised lifting equation, all jobs should be designed to achieve 1.0 risk index or less. It was time to look at the adaptive snow-sports manual lifted equipment used in industry and how it was designed. Another survey would be needed to follow

up on lifting issues identified in our initial research. Verifying these issues and see who may have suffered injuries using this manual loaded equipment. This figure 2 Shows the Equipment Problems According To Adaptive Instructors




Figure 2. The Equipment Problems According to Adaptive Instructors

Equipment Issues according to instructors is shown in figure 2. Categories are number 60 with shock problems/failures, 50 binding problem/failures, 10 is cost of equipment, 40 is tether problem/failures, 30 is outrigger problem/failures, 20 is lift problem/failures, 0 is comfort problem/failures where most are related to the seat. Which is a problem that has been recently solved by offering custom foam seat bases for those who own their own equipment. Foam bases are available for the infrequent renter as well. Improving the base foam while adding additional pieces for the seat bases of sit-skis as needed. This figure 3 shows the equipment issues according to Adaptive participants




Figure 3. The Equipment issues According to Adaptive Instructors

This above pie chart above shows the same equipment issues as stated above just according to the participants. So they have a higher rating for comfort (seating and all components) based on the red 10 category. Which again, is an issue that has been solved in the past few years. Comfort has come a long way for seating on sit-skis. Second is lift issues, number 20, which pertains to loading/unloading, number 50 is third with binding failures, number 30 is

outrigger problems/failures, number 70 is not having enough or too many different instructors since there is not a set number available. We can see the problems comparing the two groups directly since certain issues such as tethers would directly involve the instructor, not a participant. Having a follow up survey to assist in manual lift injuries that may have not been discovered in this initial survey.

3. Results

Ergonomists, safety, and health professionals have significant research in proper lifting techniques applying NLE and third-party research companies. Epidemiological studies have identified manual material handling (MMH) and lifting activities as risk factors for low back pain (LBP), which can lead to injury (Garg, et al, 1992 and Hoogendoorn et al, 2000). NIOSH considered the compression force of the L5-S1 as the only critical stress factor when determining the RWL while the posterior-anterior shear forces on the lumbar intervertebral discs during lifting activities likely act as a risk factor for LBP (Genaidy et al, 1993). The NLE is widely used worldwide by occupational health practitioners to assess the risk of LBP (Hoogendoorn et al, 2000). Bending and twisting 90 degrees while lifting any sit-ski (mono-ski, bi-ski) can drastically increase back injuries using any lifting technique. Therefore, using NLE for a given lifting activity, even if the RWL proposed to control the L5-S1 compressive force, it remains unclear if the shear forces are in safe limits (Arjmand et al, 2015). Adding the risk of bending while twisting was confirmed by a follow-up survey associated with this study in Phase II. This issue is no surprise to instructors that must twist 90 degrees to access the handle holds on a sit-ski. Your ski boots are forward, but your trunk and pelvis flexion angled to grab the 125-150 U.S. pound equipment, including the participant that is approximately 7"-8" off the ground. Once the lift is upward, the sit-ski must be lifted 14-20" then pulled back onto the chairlift seat. See data in Figure 4. This motion found to not only exceed the NLE guidelines, but the twisting of the trunk flexion adds a higher risk for lower back injuries during these activities. Using data from the International Journal of Industrial Ergonomics 47 (2015), In lifting activities involving moderate to high forward trunk flexion, the estimated RWL generates L5-S1 spine loads exceeding the recommended limits. The data for a small load of only 45 pounds, that has similar lifting height (10"), and vertical movement (16") with trunk flexion of 90 degrees and pelvic flexion angle of 35 degrees has a compression load of 4752 N and shear load 1421 N. This is beyond the NLE safe lift limits of 3400 N compression load limit, and 1000 N of shear load limit. The only way to eliminate these hazards would be to re-engineer the equipment to be self-loading. Self-loading equipment exists on the market today and eliminates the need for such motions during the loading of a sit-ski on a chairlift. Figure 1 shows the picture of self-loading a sit-ski. This would also lead to participant independence. A practice of adaptive snow-sport instruction, according to the PSIA adaptive snow-sports instruction manual. Although this concept is not always taught regardless of cognitive and physical ability. Engineering issues/problems were re-visited during Phase II followed up the survey and verified that the practice of adaptive snow-sports included LPB risks of bending and twisting during loading.

4. Discussions

Once again, elimination by redesign would be the solution to reduce lower back injuries in adaptive snow-sports. The NLE uses multipliers in calculations that show the levels of risks of certain lifting tasks. These multipliers can be found in NIOSH lifting equation application manual 1994 (CDC, 2020). They are based on the measurements taken from loads of the lift (split into 2 for both instructors), horizontal multiplier, vertical multiplier, distance chairlift heights for a distance of lift, asymmetric frequency (angles), frequency of lift and coupling which is taken from handholds on the sit-skis. These calculations will be included in the full report for an examination. Multipliers originally used in NLE are shown in Table 1.

Table 1. Multipliers originally

Original Multipliers

HM	1.00,	1.00
VM	0.83,	0.98
DM	0.91,	0.91
AM	0.71,	0.71
CM	1.00,	1.00
FM	0.95,	0.95

The multipliers were calculated at the origin of the lift and the end of the lift for the Ergonomics Plus software. Ours were only done at the origin and maybe why our calculations are a little different in lift index calculations. The significant risk index of all calculations over >1.0 would benefit from re-design, according to NIOSH. Noted that NLE is one tool in a comprehensive effort to reduce lower back pain and disabilities. Taking into consideration that other research efforts have made significant contributions as well. The identified research from Arjmand shows the angle of pelvis and trunk flexion should be considered in these calculations as well (2015). NIOSH even mentions that biomechanical analyses may be required to assess physical stress on joints accurately. The lifting equation does assume that the friction underfoot is stable, which is snow, and on ski/snowboard equipment is not. It does not take into consideration environmental conditions such as extreme cold/heat, lifting from a kneeling position, lifting unstable objects, lifting while pulling/pushing, or lifting at high speed (CDC, 2020). These items would likely elevate the stress on the body during lifting. The lifting Index can be used to evaluate the relative magnitude of the physical stress of a job. The higher the LI is to 1.0, the smaller the fraction of people capable of safely sustaining that level of activity (CDC, 2020). The LI can be used to prioritize ergonomic re-design. Identifying those tasks as posing a higher risk for LI that are >1.0 (CDC, 2020). The goal is to design all lifting jobs is to be under an LI of 1.0. Acknowledging that calculations for an adaptive instructor are > 2.0 LI without other considerations such as trunk and pelvic flexion stressors, the goal is to eliminate this job task by supporting self-loading equipment. The NLE failed to adequately control spine compression and shear loads in lifting during moderate trunk forward flexion (Arjmand et al, 2015). Supporting the health and safety of adaptive instructors, who are mostly volunteers, should be the goal of all industry partners (Table 2).

Table 2. Lifting Calculations NIOSH vs Ergonomics Plus Calculator

lift situations (min) and Max is 100 lbs.	Load (weight split for 2 loaders)	RWL	weight	Lifting Index	Ergonomics Plus Calculator Origin LI
Lift 1 (132 lbs.)	66.13	26.05	pounds	2.54	2.52
Lift 2 (154 lbs.)	77.16	26.05	pounds	2.96	2.94
Lift 3 (175 lbs.)	88.18	26.05	pounds	3.39	3.36
lift 4 (198 lbs.)	99.2	26.05	pounds	3.81	3.78
Average lift (165 lbs.)	82.67	26.05	pounds	3.17	3.15

”

All multipliers that were used from the NIOSH revised lift application manual to find the Recommended Weight Limit (RWL) = Load Constant x **H**M x **V**M x **D**M x **A**M x **F**M x **C**M. Those multipliers deal with different locations of the body during a lift. The **H**orizontal location of the object relative to the body, **V**ertical location of the object relative to the floor, **D**istance moved vertically, **A**symmetry angle or twisting movement, **F**requency and duration of lifting activity, and **C**oupling quality of the person's grip on the object. On Page 29 of the NIOSH manual, the research originally considered the hand to container coupling good since it has handles or a form of handholds on the adaptive sit-ski models. After further investigation, the notes on Page 30 of the NIOSH manual, Number 5; for bulky objects and slippery surfaces, and the decision tree for coupling quality on Page 32; it is apparent that our situation classifies as poor. See Decision Tree Table in Figure 5. The coupling quality decision tree, Figure 5 from the NIOSH revised lifting application manual. It clearly states our coupling quality should be poor from the unstable load and bulky object being lifted. Meaning our multiplier should be .90 instead of 1.0 since the object is bulky and loose. Now using that revision to the coupling multiplier in calculations in table 2 the results of the lift indexes are approaching and exceeding 3.0 according to the revised lift index per the application manual. The Jack Software (pmpcorp.com, 2021) also calculated similar results based on this revised coupling multiplier.

5. Conclusions

NIOSH experts agree that all workers will be at an increased risk of a work-related injury when performing highly stressful lifting tasks, anything exceeding 3.0 lift index (CDC, 2020). Furthermore, they state that all jobs should be

designed to achieve 1.0 risk index or less. If this is not that case, then the task should be redesigned immediately. No other alternative other than, replacing manual loading with self-loading equipment, exists at this time to eliminate the risk of a lower back injury to an adaptive snow-sports instructor. This is a liability for all adaptive snow-sport programs in the world today. It is a serious issue that needs to be examined further immediately. RESNA has agreed to form a committee in response to this research. Collectively both parties need to address these concerns at all levels to protect adaptive instructors from injury. Adaptive programs should look into removing or replacing all manually lifted sit-skis from their inventory. These should be considered high risk and not used for lessons where manual loading is involved. Manufacturers' future designs should replace all manually lifted sit-skis models; to safely load sit-skis onto a chairlift in the future. Adaptive snow-sports is an area that continues to evolve and since it is relatively new, these changes only allow it to be safer for those teaching students in this capacity. It would also allow a larger spectrum of people that could possibly teach the sport to others. It could potentially prolong their ability to stay as an instructor when removing any manual lifting from that methodology. Making it a little easier on all those involved with teaching adaptive snow-sports.

The following decision tree may be helpful in classifying the hand-to-object coupling.




Figure 4. Decision Tree for Coupling Quality (CDC, 2020)

Table 3. Revised NIOSH Lift Index Coupling Multiplier of .90

lift situations (min) and Max is 100 lbs.	Load (weight split for 2 loaders)	RWL	weight	Revised Lifting Index Calculated and using Jack Software	
Lift 1 (132 lbs.)	66.13	23.45	pounds	2.82	2.93
Lift 2 (154 lbs.)	77.16	23.45	pounds	3.29	3.42
Lift 3 (175 lbs.)	88.18	23.45	pounds	3.76	3.91

lift 4 (198 lbs.)	99.2	23.45	pounds	4.23	4.39
Average lift (165 lbs.)	82.67	23.45	pounds	3.53	3.66
Load split for 2 people	LC	RWL	kilograms	lift Index Calculated	
lift 1 (60 kg) shared 2	30	10.57	kilograms	2.84	
lift 2 (70 kg)	35	10.57	kilograms	3.31	
lift 3 (80 kg)	40	10.57	kilograms	3.78	
lift 4 (90 kg)	45	10.57	kilograms	4.26	
Average (75)	37.5	10.57	kilograms	3.55	

Of course, there is a cost involved to that but the risk of instructor injury should outweigh that cost now that this research has uncovered these facts. According to the NIOSH lifting application manual, all experts agree that anything above a 3.0 lift index, all workers at an increased risk for a lower back injury (CDC, 2020). The lift index results reveal that all instructors are at a high risk of injury during any of those manual lifts. Jack software simulation allowed us to somewhat evaluate the lifting techniques. Without even taking into account of the bending and twisting that is involved with lifting of a sit-ski onto a chairlift. The Jack software provided limits that are all below any lift scenarios analyzed. This study accounted for the NIOSH calculations by using the jack model and found similar results. The Jack software program uses origin of the lift, and destination of the lift in the calculations. Similar to the ones by Ergo Plus software utilized to verify our calculations in Figure 6. Although, the recommended weight limit (RWL) was slightly lower 22.57, than calculated results of 23.45 U.S. pounds. The limitations of current software could not reproduce the bending, squat, twist the figure while picking up a load/sit-ski together with another instructor. This study conducted more data calculations with the Jack software modeling and found that for the tasks of lifting and lowering in the manual handling limits, shown in Table 4 below. All loads that are recommended for different percentages of females and males (50, 90, 5 percentiles) all results are far too low for any tasks of manual lifting and loading of a sit-ski.

Table 4. Lift/Loads limits from Jack Software Analysis

Lift/lowering task	% Capable	Lift limit	Lowering Limit	% of population find loads too heavy
Male 1	90%	18 lbs.	22 lbs.	10 % of Males
Male 2	75%	27 lbs.	31 lbs.	25% of Males
Male 3	50%	35 lbs.	42 lbs.	50% of Males
Female 1	90%	13 lbs.	13 lbs.	10 % of Females
Female 2	75%	18 lbs.	18 lbs.	25% of Females
Female 3	50%	22 lbs.	20 lbs.	50% of Females

The Jack software program will allow you to manipulate the human figures for just about any scenario for one human using a workplace design but not necessarily for an adaptive snow-sports sit-ski lift. Since our populations were greater than 40 years of age and health factors is unknown, using this software was very difficult for our population.

These issues were only the first of many that the study had with the Jack software. There is no consideration for age, and asymmetry taken into consideration when bending, squatting to grab a load for a lift. Which makes a difference since most current information showed (Arjmand et al, 2015) that it would have an impact on the data collected on our population of adaptive instructors. The Jack software will not allow two figures to share a load which is in all our lift scenarios. A team lift could not be considered using the Jack software. It was extremely difficult, to get any useful simulations from this computer model due to those limitations. Knowing that fact, removing these manual lifted sit-ski models, should just be a formality at this point to adaptive programs around the world. Safety should be their top priority and incorporating these changes would protect the future of adaptive instructors nationwide.

References

- Abubakar, M. I., & Wang, Q., Key human factors and their effects on human-centered assembly performance. *International Journal of Industrial Ergonomics*, 69, 48-57, 2019.
- Alasim, H. N., Nimbarte, A. D., & Jaridi, M, Impact of pulling direction and magnitude of force exertion on the activation of shoulder muscles. *International Journal of Industrial Ergonomics*, 69, 14-22, 2019.
- Applications manual for the revised NIOSH lifting equation. Retrieved May 17, 2018, from (1994).
- Arjmand, N., Plamondon, A., Shirazi-Adl, A., Larivière, C., & Parnianpour, M., Predictive equations to estimate spinal loads in symmetric lifting tasks. *Journal of Biomechanics*, 44(1), 84-91. 2011.
- Arjmand, N., Amini, M., Shirazi-Adl, A., Plamondon, A., & Parnianpour, M., Revised NIOSH Lifting Equation May generate spine loads exceeding recommended limits, 2015.
- Assistivetechnet: National Public Website on Assistive Technology, Center for Assistive Technology and Environmental Access ([CATEA](#)) Georgia Institute of Technology ([GT](#)), College of Architecture ([COA](#)) http://atwiki.assistivetechnet.net/index.php/Adaptive_Skiing (2019) Retrieved May 14, 2020
- Botti, L., Mora, C., & Regattieri, A., Integrating ergonomics and lean manufacturing principles in a hybrid assembly line. Retrieved May 17, 2020 <https://www.sciencedirect.com/science/article/abs/pii/S0360835217302152?via=ihub>
- Brennan, K, Professional Ski Instructors of America (PSIA), "Interski Insights," Snowsports Magazine. March issue, Pg. 3-4 Published by PSIA.2020.
- Cavacece, M., Kinematic and Dynamic Analysis of a Sit-Ski to Improve Vibrational Comfort. *Sports Engineering*, vol. 8, no. 1, pp. 13–25., 2005.
- Center of Disease Control, <https://www.cdc.gov/niosh/docs/94-110/pdfs/94-110.pdf> NIOSH revised lifting application manual. Last accessed Aug. 20, 2020
- Clarys, J. P., publie, jan, & zinzen, evert. (n.d.). Retrieved May 17, 2020, <https://www.tandfonline.com/doi/pdf/10.1080/02640419408732169?needAccess=true>
- Cooper, R. A, Physical Medicine and Rehabilitation Clinics of North America. Retrieved May 17, 2020 <https://www.sciencedirect.com/journal/physical-medicine-and-rehabilitation-clinics-of-north-america>
- Challenge Magazine December 2019 pages 12-15. Disabled Sports USA, Inc. <https://www.moveunitedsport.org/wp-content/uploads/2019/12/Challenge-Winter-2019-Fnal.pdf> Retrieved 4/12/2020
- Chaffin, D., Human motion simulation for vehicle and workplace design, Publication date on Aug. 6, 2007. Special Issue: Advances in Agile Enterprises, Part I Volume17, Issue5, September/October Pages 475-484. 2007.
- Demirel H.O., Duffy V.G, Applications of Digital Human Modeling in Industry. In: Duffy V.G. (eds) Digital Human Modeling. ICDHM 2007. Lecture Notes in Computer Science, vol 4561, 2007.
- Deros, B. M., Daruis, D. D., & Basir, I. M, A Study on Ergonomic Awareness among Workers Performing Manual Material Handling Activities. *Procedia - Social and Behavioral Sciences*, 195, 1666-1673. 2015.
- Disabled Sports USA & PSIA, "Fundamentals Mechanics for Adaptive Skiing Across Disciplines" July 2016. https://www.disabledsportsusa.org/wp-content/uploads/2016/07/PSIA_AdaptiveFundamentals_Final_web.pdf
- Disabled World, Electronic Publication Date: 2009-01-24. Last Revised Date: 2018-11-29. Reference Title: Abstract: Sit skiing information for people with disabilities thinking of taking up a fun adaptive winter snow sport. <https://www.disabled-world.com/sports/snow/sit-skiing.php> Reference Category Number: DW#176-495, 2020.
- Dreischarf, M., Shirazi-Adl, A., Arjmand, N., Rohlmann, A., & Schmidt, H. (2016). Estimation of loads on human lumbar spine: A review of in vivo and computational model studies. *Journal of Biomechanics*, 49(6), 833-845. 2015.
- Ergonomic Job Analysis: A Structured Approach for Identifying Risk Factors Associated with Overexertion Injuries and Disorders., 2015.

- Ergo-Plus software, <http://ergo-plus.com> retrieved May 2, 2019
- Fabbro, E. D., & Santarossa, D., Ergonomic Analysis in Manufacturing Process. A Real Time Approach. *Procedia CIRP*, 41, 957-962. 2018.
- Fox, R. R., & Smith, J. L., A psychophysical study of high-frequency arm lifting (English). Retrieved May 17, , <https://www.tib.eu/en/search/id/elsevier:doi-10.1016%2Fj.ergon.2012.11.004/A-psychophysical-study-of-high-frequency-arm-lifting/>. 2020.
- Fuss, F. K., Subic, A., & Ujihashi, S., The Impact of Technology on Sport II. Retrieved May 17, 2020, from <https://www.taylorfrancis.com/books/e/9780429094491> holub, S., & McKee, K., 2011.
- Garg, A., and Moore, J.S., Epidemiology of low-back pain in industry, *Occupational Medicine* 7 (4), 593-608, 1992.
- Genaïdy, A., Waly, S., Khalil, T., Hidalgo, J., Spinal compression tolerance limits for the design of manual material handling operations in the workplace, *Ergonomics* 36, 415-434., 1993.
- Github.com, R test codes and data results stored. <https://github.com/eaoneill/github-upload/blob/master/adaptive%20snow%20sports%20r%20test> .
- Guttman, L. Founder of Paralympic Games, and Neurosurgeon. <https://www.paralymphicheritage.org.uk/professor-sir-ludwig-guttman> Retrieved on July 15, 2020
- Harari, Y., Bechar A., and Riemer R., "Simulation-Based Optimization Methodology for a Manual Material Handling Task Design That Maximizes Productivity While Considering Ergonomic Constraints," in IEEE
- HERL, Human Engineering Research Laboratories, <https://www.herl.pitt.edu> Last retrieved on August 3, 2020
- Home: American Journal of Occupational Therapy. 2020.
- Hong, Youlian. "Routledge Handbook of Ergonomics in Sport and Exercise, 2013.
- Hongyu, T., Zhang Z., Design and Simulation Based on Pro/E for a Hydraulic Lift Platform in Scissors Type, 12 November 2011. Beijing Union University, Beijing Chaowai baijiazhuang, Beijing 100020, China. 2021.
- Hoogendoorn, Flexion and rotation of the trunk and lifting at work are risk factor for lower back pain; *Spine* 25(23) 3087e3092, 2000.
- Huber, G., Nagel, K., Skrzypiec, D. M., Klein, A., Püschel, K., & Morlock, M. M. (2016, February 11). A description of spinal fatigue strength <https://www.sciencedirect.com/science/article/abs/pii/S0021929016301221?via=ihub> , 2020
- JACK Tecnomatix simulation software by Siemens. (PMPcorp.com, 2021). Retrieved March 4, 2021
- Kavanaugh, Colleen, McNabb, Tara, & Tami. (1996, January 1). The Effects of a Downhill Skiing Program on Standing Balance in Adults and Children With Various Disabilities. Retrieved May 17, 2020, <https://core.ac.uk/display/18311872>
- Keyserling, W. M., Armstrong, T. J., & Punnett, L. (1991). Ergonomic Job Analysis: A Structured Approach for Identifying Risk Factors Associated with Overexertion Injuries and Disorders. *Applied Occupational and Environmental Hygiene*, 6(5), 353-363. doi:10.1080/1047322x.1991.10387896 Accessed on May 5, 2020
- Kingma, I., Faber, G. S., & Dieën, J. H. van. (2015, October 9). Supporting the upper body with the hand on the thigh reduces back loading during lifting. <https://www.sciencedirect.com/science/article/abs/pii/S0021929015005308?via=ihub> Retrieved May 17, 2020
- Laskowski, E, *Fundamental mechanics of alpine skiing across adaptive disciplines* pg. 2-10 [Manual]. Boulder, CO: Adaptive Skiing, 1991.
- Lundberg, N, Professional Ski Instructors of America, (PSIA), "Instruction Methods for Adaptive Snowsports,". Published by PSIA 2003, www.thesnowpros.org
- Masoud, H. I., Reed, M. P., & Jin, J. (2018, October 4). Sample size calculations for a functional human motion analysis: Application to vehicle ingress discomfort prediction Retrieved May 17, 2020, from <https://www.sciencedirect.com/science/article/abs/pii/S0169814117305139?via=ihub>
- Naserkhaki, S., Jaremko, J. L., Adeeb, S., & El-Rich, M. October 20, 2015. On the load-sharing along the ligamentous lumbosacral spine in flexed and extended postures: Finite element study. Retrieved May 17, 2020, from <https://www.sciencedirect.com/science/article/abs/pii/S0021929015005461?via=ihub>
- National Ski Council Federation, <https://skifederation.org/what-is-adaptive-skiing/> Retrieved February 4, 2019
- Norman, R., Wells, R. Nuemann, P., Frank, J., Shannon, H., Kerr, M., 1998. A comparison of peak vs cumulative physical work exposure risk factors for the reporting of low back pain in the automotive industry. *Clinical Biomechanics* 13(8), 561-573.

- Petrofsky, F., Adaptive Sports Magazine. A comparative Study of mono skiers, conventional downhill skiers, and snowboarders. Accessed on Feb 22, 2020
- Pernot, H. F. M., Lannem, A. M., Geers, R. P. J., Ruijters, E. F. G., Bloemendal, M., & Seelen, H. A. M. (2011, May 3). The validity of the test–table–test for Nordic skiing for classification of paralympic sit-ski sports participants. <https://www.nature.com/articles/sc201130#auth-1> Retrieved January 3, 2018
- Pinder, A. D. J., & Boocock, M. G. (2012, December 17). Prediction of the maximum acceptable weight of lift from the frequency of lift. <https://www.sciencedirect.com/science/article/pii/S0169814112001126?via=ihub> Retrieved May 17, 2020
- Plamondon, A., Larivière, C., Denis, D., Mecheri, H., & Nastasia, I. (2016, November 19). Difference between male and female workers lifting the same relative load when palletizing boxes. Retrieved May 17, 2020, from <https://www.sciencedirect.com/science/article/abs/pii/S0003687016302277?via=ihub>
- Potvin, J. R., Comparing the revised NIOSH lifting equation to the psychophysical, biomechanical and physiological criteria used in its development. *International Journal of Industrial Ergonomics*, 44(2), 246-252. 2014.
- Polasek, P., Bureš, M., Šimon, M., Comparison of Digital Tools for Ergonomics in Practice. *Procedia Engineering* 100 (2015) 1277 – 1285, 2015. Retrieved May 17, 2021 (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).
- Peer-review under responsibility of DAAAM International Vienna doi:10.1016/j.proeng.2015.01.494
- Pringle, D., Sharing The Adaptive Ski Experience With The Biotech Community. Retrieved May 17, 2020, from <https://lifescivc.com/2019/02/sharing-the-adaptive-ski-experience-with-the-biotech-community/>, 2020.
- Professional Ski Instructors of America, PSIA “Instruction Methods for Adaptive Snowsports,” 2003. PSIA-AASI [http:// www.thesnowpros.org](http://www.thesnowpros.org) (2020)
- PSIA, Volunteer Training for Adaptive SnowSports, Professional Ski Instructors of America - NW Adaptive Manual, 1999. Retrieved April 19, 2020 <http://www.psia-nw.org/wp-content/uploads/PSIA-NW-Adaptive-Manual.pdf>
- PSIA, Volunteer Training for Alpine Ski Certifications, 10, 2019. Professional Ski Instructors of American, Retrieved April 4, 2019 <https://www.psia-e.org/download/ed/alpine-ed/AlpineExamGuide.pdf>
- R-Project Tests, <http://www.r-project.org> <https://github.com/eaoneill/github-upload/blob/master/adaptive%20snow%20sports%20r%20test>
- Rajesh, R. Manual Material Handling: A Classification Scheme. *Procedia Technology*, 24, 568-575. 2016.
- Rehabilitation Engineering Society of North America, RESNA, 2018 <https://www.resna.org/AT-Standards/Adaptive-Sports-Equipment-ASE> “Adaptive Sports Standards, Winter Sports” Accessed on April 15, Reilly, T, Ergonomics in sport and physical activity: enhancing performance and improving safety. Human Kinetics, Champaign, IL , 2020.
- Roman-Liu, D. , Comparison of concepts in easy-to-use methods for MSD risk assessment. 2013. Retrieved May 17, 2020, from <https://www.sciencedirect.com/science/article/abs/pii/S000368701300121X?via=ihub>
- Sáenz, L. M., Sevilla, G., & Patiño, E, Ergonomics/Human Factors Applied in Formative Research at the Faculty of Industrial Design, Universidad Pontificia Bolivariana. 2015. Retrieved May 17, 2020, from <https://www.sciencedirect.com/science/article/pii/S235197891500829X>
- Servers, K., Discovery of Magic Boots is a game-changer for Adaptive skiers. Published in PSIA Magazine, Winter Edition Feb. 2019
- Sehmi, A. S., *New environments for neurophysiological investigations*. (Unpublished master's thesis). University of Leicester, England. 1988. <https://core.ac.uk/display/42020031> Accessed on May 24, 2020
- Shephard, R. J, Sports Medicine and the Wheelchair Athlete. *Sports Medicine*, Retrieved July 15, 2019. 5(4), 226-247, 1988.
- Shojaei, I., Vazirian, M., Croft, E., Nussbaum, M., & Bazrgari, B, Age-related differences in mechanical demands imposed on the lower back by manual material handling tasks. *Journal of Biomechanics*, 49(6), 896-903, 2016.
- Tseng, M. H., & Cermak, S. A, The Influence of Ergonomic Factors and Perceptual-Motor Abilities on Handwriting Performance. *American Journal of Occupational Therapy*, 47(10), 919-926, 1993.
- Vallin, Remi personally interviewed and email interview with R. Vallin, a sales engineer with Tessier www.dualski.com. (12/7/2018 & 04/8/2020),
- VROX Sport Simulation LTD. Sidney, British Columbia, www.fitness-gaming.com , 2020.
- Walters, T., National Institute for Occupational Safety and Health (NIOSH) application manual for the revised lifting equation. Applications manual for the revised NIOSH lifting equation, 1994.
- Walters, T., Baron, S, Kemmlert, K., Accuracy of measurements for the revised

NIOSH lifting equation. *Applied Ergonomics*, 29(6), 433-438. 1998.

Wilkins, G., master's thesis. Accessed June 2019 Loughborough University, England. Master's Thesis. 2005

<https://hdl.handle.net/2134/7762> Accessed on July 25, 2020

Zhang, Yongbao; Ke, Jinjing; Wu, Xiang; Luo, Xiaowei, A Biomechanical Waist Comfort Model for Manual Material Lifting" *Int. J. Environ. Res. Public Health* 17, no. 16: 5948, 2020.

Zhang, Yongbao; Wu, Xiang; Gao, Jingqi; Chen, Jianwu; Xv, Xun. 2019. "Simulation and Ergonomic Evaluation of Welders' Standing Posture Using Jack Software" *Int. J. Environ. Res. Public Health* 16, no. 22: 4354, 2019.

Zheng, G., Qiu, Y., & Griffin, M. J., Fore-and-aft and dual-axis vibration of the seated human body: Nonlinearity, cross-axis coupling, and associations between resonances in the transmissibility and apparent mass. 2018.

Biography

Elizabeth O'Neill, Associate Professor in the Department of Industrial Engineering Technology, State University of New York, Buffalo State College. Her Dissertation, "Improving Adaptive Snow-Sports through Engineering Design, Ergonomic Form and Function at the State University of New York, University of Binghamton.

Contact information: oneillea@buffalostate.edu, (716) 878-6017.