

Integrating Systems Engineering and Narrative Competence: A New Paradigm f or Healthcare Quality and Clinical Ethics

Leyla Savsar Dericioğlu

Assistant Professor, English Literature
Istinye University, Istanbul, Türkiye
leylasavsar@gmail.com

Mehmet Savsar

Professor of Industrial Engineering
Üsküdar University, Istanbul, Turkey
msavsar@gmail.com

Abstract

Throughout human history, the pursuit of healthcare has remained one of life's most essential endeavors. Over the last century, academic discourse has focused on two primary concerns: quality and ethics in healthcare. Alongside these developments, the field of medical humanities has emerged as a distinct area of research. This discipline seeks to integrate the subjective experiences of patients into the largely objective, scientific realm of medicine, utilizing literature as a powerful tool to shape and enhance quality in clinical practice. In the manufacturing and electronics industries, systems engineering has reduced defects to "one per million" through automation and standardized protocols. In contrast, healthcare remains as a "cottage industry" characterized by high manual variability. Although medical technology has advanced exponentially, unacceptable error rates of almost 5% persist in healthcare. Past experience shows that healthcare quality cannot be achieved through an "industrial model" of statistical control alone. Instead, it requires Narrative Competence: the ability to acknowledge, absorb, and act upon the stories of illness. Real healthcare quality is a systemic output. It cannot be "inspected into" the process through late-stage error analysis alone. Instead, it must be "designed into" the system by cultivating narrative competence at the foundational level, ensuring that the entire socio-technical architecture is built on a "sensitive state of mind" and deep empathy for the patient. This paper takes an initiative to integrate Narrative Medicine (NM) concepts into the framework of healthcare quality through Systems Engineering (SE) for a more rigorous, structural approach for reducing systemic variability and bridging information asymmetry between the doctor and patient to achieve higher quality and safety in healthcare systems. Healthcare systems are structured into states and possibility of transitions from stable states to a failure state is investigated. A Markov model is constructed to analyze the structure from systems engineering perspective with narrative medicine and narrative competence incorporated into the model.

Keywords

Healthcare Quality, Narrative Competence, Medical Ethics, Systems Engineering, Markov Modeling.

1. Introduction

Healthcare represents one of the most vital endeavors in the history of human civilization. For over two millennia, significant expertise and effort have been dedicated to maintaining human health and prosperity. While medical science and technology have advanced at an incredible pace, unacceptable error rates and unexpected negative outcomes persist within modern hospital systems. Research indicates that in the United States alone, preventable

medical errors—such as misdiagnosis, medication mistakes, and surgical failures—contribute to approximately 120,000 deaths annually. Historically, academic and professional discourse has centered on two primary challenges: Healthcare Quality and Clinical Ethics. Healthcare quality is conventionally defined by the minimization of errors and the degree to which medical services meet established standards or patient needs. Parallel to this, clinical ethics governs the physician-patient relationship, focusing on respect for individuals, informed consent, and the moral standards of medical conduct. However, the pursuit of quality is often hindered by systemic factors such as high variability in treatment, information asymmetry between providers and patients, and the inherent risks of human-performed procedures. To address these persistent failures, a new paradigm is required—one that integrates the technical rigor of Systems Engineering with the human-centered approach of Narrative Medicine.

Systems Engineering provides the structural framework necessary to transform healthcare from a high-variability "cottage industry" into a high-reliability organization. By applying engineering principles such as closed-loop feedback, variance reduction, and systematic redesign, healthcare providers can proactively address ethical conflicts and technical lapses. Yet, as recognized by quality pioneer Donabedian (1966), an "industrial model" alone is insufficient. This is where Narrative Medicine becomes essential. Defined as medical practice performed with "narrative competence," it allows clinicians to acknowledge, interpret, and act upon the subjective stories and plights of their patients. Narrative medicine bridges the gap between the objective world of science and the subjective experience of illness. By integrating these stories into the clinical workflow, providers develop the empathy and "sensitive state of mind" necessary to provide truly ethical, high-quality care. The integration of these disciplines suggests a functional dependence: real healthcare quality is a systemic output that can only be achieved through the improvement of ethics, which in turn relies on the understanding of the patient cultivated through narrative medicine and structured by systems engineering.

In this paper, we introduce the problems faced in healthcare systems that degrade the quality to an unacceptable level, as low as 5% errors, as compared to 0.27% errors (2,700 errors per million) in classical industry and 0.0000002% (0.002 errors per million) in high precision manufacturing and electronics industry. Based on the integration of healthcare quality, systems engineering, and the medical humanities, several research papers provide a foundation for investigating how narrative medicine and structural engineering principles can reduce clinical errors and improve patient outcomes. Following list of the reviewed literature is presented in chronological order.

Rasmussen (1982) classifies human errors and presents a taxonomy for describing human malfunction in industrial installations. Wennberg (1982) first introduced the variations problem in medical practice and how to deal with them. Zapf and Reason (1994) present human errors and how to handle them. Birnbaum (1994) investigates ways of measuring healthcare quality from different perspectives. Benneyan and Kaminsky (1995) presents a view on how to measure healthcare quality. Jones (1999) discusses the narrative concepts as it relates to medical ethics. Berwick and Leape (1999) discusses some ways of reducing errors in medicine. Charon (2001) presents narrative medicine as a model for empathy, reflection, profession, and trust. Sugarman and Sulmasy (2001) discuss various methods of medical ethics. François, et al. (2003) discuss the evaluation of implementing a Quality Management Systems in a teaching hospital clinical department. Issues related to implementation of the system are presented. Lee and Foo (2006) present general concepts of narratives in healthcare.

McCullough, et al. (2007) presents a systematic review for argument-based clinical ethics literature. Nelson, Gardent, Shulman, and Splaine (2009) present a system design concept for preventing ethical conflicts and improving healthcare quality. Aronson (2009) makes a classification of medical errors and presents a detailed definition for each type of possible errors. Wennberg (2010) discusses the idea of tracking medicine as a quest to understand health care results. Moulton and King (2010) present the idea of aligning ethics with medical decision-making as a quest for informed patient choice. Oyeboode (2010) details the medical humanities in the context of literature and medicine. Hurwitz and Charon (2013) outline the concepts of narrative future for health care. Ross (2013) published a book on healthcare quality management which included various tools and applications. Waring, et al. (2015) presented sociological and mainstream approaches to healthcare quality and safety. Tekiner (2016) also presents ethical considerations related to narrative medicine in patient centered medicine. Berwick and Daniel (2016) look at Donabedian's classic article 50 years later to evaluate the quality of medical care and how to approach for improvement. Abdul Malak (2017) discussed quality improvement (QI) in medical education. Implications for curriculum change and introduction of QI courses in medical schools are proposed so that early exposure and training in QI would allow students to develop a passion for QI and to understand how it can be applied in the future.

Howell and Ayanian (2016) revisited the Ernest Codman's "the end result system: a pioneer of health outcomes" and discussed the basic concepts and how the healthcare quality was affected. Charon (2017) discusses issues how to see and understand the patient's suffering. Selanders (2019) discussed the first British Nurse, Florence Nightingale, who introduced health care quality concepts with statistical analysis. Savsar and Savsar (2019) presents details of main issues in healthcare quality and how narrative medicine can help in overcoming healthcare quality problems. This paper considers the current state of healthcare quality, and a new approach is presented from systems engineering view integrated with narrative medicine concept as a solution to the long-standing healthcare quality problem.

2. Quality and Healthcare

Quality control (QC) is the operational heartbeat of any functional system. Whether it is a manufacturing plant or a complex hospital network, QC ensures that the actual output aligns with the intended standard, preventing "drift" toward inefficiency or failure. Failures are inadvertently in nature of any operation. They cannot be avoided fully, however, they must be minimized and reduced to a 'near zero' level. In any system, whether it is industrial, logistical or digital, quality control serves three primary pillars: Stability, Efficiency, and Trust. All processes have natural variations. QC uses statistical methods (like control charts) to distinguish between normal fluctuations and "assignable causes" that indicate a system failure. By identifying defects early in the process, such as at the input or transformation stages, systems avoid the multiplier effect, where a small error becomes an expensive disaster at the output stage. Consistent quality builds brand equity. If a system produces unpredictable results, it loses its place in the market or its utility to the user. QC data provides the feedback loop necessary for system optimization. You cannot improve what you do not measure accurately. Measurement followed by detailed analysis are critical steps in quality control and quality improvement

In healthcare, the stakes of quality control shift from financial loss to human life. The system here is extremely complex, involving high-stress environments, biological variability, information asymmetry, imbalance in bilateral activity, and multidisciplinary teams. Physicians are usually under high stress with patients and families demanding cures for their illnesses. System inputs are patients that have no homogeneity biologically, no homogeneity even with the same type of illnesses and how they respond to the same treatment. There is information asymmetry between the doctor and the patient. While one has high expertise, the other has no knowledge, which creates imbalance in deciding on treatment procedure. Also, in the bilateral activity between the patient and the healthcare provider, one party may be badly affected because of the treatment decision and its consequences, while the other party is not. A patient can be disabled or loose life due to wrong treatment while the healthcare provider has no effect whatsoever. Due to extreme variability in illness types, multidisciplinary teams are concerned, which makes treatment more complicated and healthcare quality ruined.

In laboratory settings, QC is a rigid requirement. Every diagnostic machine must be calibrated against known standards daily. QC ensures that tests correctly identify those with a disease (sensitivity) and those without it (specificity), preventing dangerous false negatives or traumatic false positives. Healthcare systems use QC to ensure Evidence-Based Medicine. By auditing patient outcomes against standardized clinical guidelines, hospitals can ensure that every patient receives the current "Gold Standard" of care, regardless of which physician is on duty. Healthcare systems are often overburdened. Quality control tools like Six Sigma or Lean are used to reduce wait times in emergency rooms or optimize the turnaround time for operating theaters. Efficiency in healthcare isn't just about saving money; it's about freeing up a bed for the next person in a crisis. However, these measures do not solve the core problem, which is to treat seriously injured patients and to save lives of people.

The most critical role of QC in healthcare has been the prevention of medical errors, which include medication mistakes, surgical site errors, or diagnostic failures. QC protocols, such as surgical checklists or double verification of prescriptions, act as "Swiss Cheese" model layers to catch human error, which is more of a mechanical approach rather than a humanistic approach. It may be possible to avoid 99.9 % of errors. But how about the other 0.1% of humans, which may amount to hundreds of thousands that may end up with serious health related issues or lost lives due to wrong treatment. Therefore, QC in healthcare requires an added layer of empathy and ethical vigilance that mechanical systems do not. This is where narrative medicine and narrative competence come into play. While healthcare quality is traditionally measured through clinical outcomes and procedural adherence, the burgeoning field of Narrative Medicine (NM) suggests that narrative competence, the ability to witness and interpret patient stories, is a critical, yet under-researched, determinant of care quality. The later section of this paper identifies key research voids in long-term clinician behavior, digital integration, and global scalability. We propose a research agenda that

moves beyond short-term empathy metrics toward a sustainable "Just Culture" of shared accountability. Table 1 compares the general systems with healthcare systems with respect to various criteria. This comparison shows how serious gaps are between general systems and healthcare systems with respect to quality and other issues. Primary goals, cost of failure or error, data source and regulation are all different in healthcare systems as compared to industrial or service systems.

Table 1. Summary Comparison of General Systems and Healthcare Systems

<i>Feature</i>	<i>General Systems</i>	<i>Healthcare Systems</i>
Primary Goal	Efficiency & Profitability	Patient Safety & Clinical Outcomes
Cost of Failure	Scrapped Material / Refunds	Morbidity / Mortality
Data Source	Sensor data / Production logs	Electronic Health Records / Lab Results
Regulation	ISO standards / Market forces	Strict Government & Ethical Oversight

3. Healthcare Quality from Systems Engineering (SE) Perspective

In the manufacturing and aerospace industries, systems engineering has reduced defects to "one per million" through automation and standardized protocols. In contrast, healthcare remains a "cottage industry" characterized by high manual variability. By applying SE principles, we can redesign healthcare to move toward High Reliability Organizations (HROs).

3.1. Reducing Systemic Variability

Systems engineering identifies variability as the primary enemy of quality. Variability arises due to several factors.

- *Input Heterogeneity*: In engineering, raw materials are uniform while in healthcare patients are biologically diverse.
- *Process Variability*: SE aims to standardize the "Voice of Medicine" to ensure that treatment for the same disease does not vary wildly between hospitals or countries.
- *Control Mechanisms*: Implementing decision-support systems and automated error-detection tools can minimize the "human factor" lapses that lead to malpractices.

3.2. Bridging Information Asymmetry through System Architecture

SE focuses on the "interface" between components. In the clinical setting, the interface between the doctor and patient is often flawed due to information asymmetry. While the doctor is highly educated in medicine, the patient has no knowledge.

- *Feedback Loops*: Systems engineering promotes "closed loop" communication. Narrative medicine acts as the feedback mechanism that ensures the patient's subjective state is accurately integrated back into the technical treatment plan.
- *Shared Decision-Making (SDM)*: From an SE perspective, SDM is a synchronization protocol that aligns the provider's technical goals with the patient's life goals, reducing the waste of resources on unwanted procedures.

3.3. The Functional Hierarchy

As a systems logic, we can model the relationship between these concepts as a Functional Flow Block Diagram (FFBD), where each level serves as a sub-system for the next.

- *Sub-System A: Medical Humanities (The Input Processor)*. This provides the raw data—narrative competence—necessary to perceive the "subjective experience" of the patient. At this stage engineered intervention is to provide education in narrative literature, cultivation of clinical narrative competence that results in high-fidelity narrative data input for the next stage.
- *Sub-System B: Clinical Ethics (The Logic Controller)*. This utilizes the narrative data to execute moral decision-making, ensuring "respect for people" and "informed consent". It is to execute informed consent, shared decision-making, and reduced information asymmetry, which results in optimized state transitions.
- *Sub-System C: Healthcare Quality (The System Output)*. The result of the ethical sub-system functioning correctly, leading to minimized errors, improved safety, and clinical success. This results in maximizing complete success and minimized system failure.

Real healthcare quality is a systemic output. It cannot be "inspected into" the process through late-stage error analysis alone. Instead, it must be "designed into" the system by cultivating narrative competence at the foundational level, ensuring that the entire socio-technical architecture is built on a "sensitive state of mind" and deep empathy for the patient.

4. Healthcare Quality from Narrative Medicine Perspectives

To look at healthcare quality through the lens of *Narrative Medicine* while applying a *Systems Engineering* approach requires us to treat "The Story" as a primary data input and "The System" as the processor that must remain reliable despite high human variability. In this framework, *Quality* is defined as the system's ability to achieve "Narrative Competence", the capacity to recognize, absorb, interpret, and be moved by the stories of illness. In this respect, the following framework is considered.

4.1. The Conceptual Framework of Narrative-System Integration

In traditional Systems Engineering (SE), we often focus on *Hard Systems* (machines, protocols and data). Narrative Medicine introduces a *Soft Systems* layer where the "input" is unstructured and subjective.

4.2. The Narrative as "High-Entropy Data"

A patient's story is highly disordered, unstructured, unpredictable and full of "noise" with fear, cultural nuances, non-linear timelines. High-Entropy data are highly unpredictable and complex. When a patient tells their story, they do not present a clean timeline. They might start with their current pain, jump back to a childhood memory, express fear of a diagnosis, use cultural metaphors to describe their symptoms, or omit key clinical details while focusing on emotional distress. From a strict data-processing perspective, this narrative is "high-entropy" because the information is scattered across a vast space of possibility. It contains a low signal-to-noise ratio where the "signal" (the clinical facts) is deeply embedded in "noise" (emotions, tangents, and subjective interpretations). A hard system, like an MRI machine or an automated laboratory workflow, is designed to keep entropy as low as possible. It relies on deterministic inputs to produce repeatable, structured outputs. However, a patient's lived experience is naturally disordered. Illness disrupts a person's life, creating psychological, emotional, and social chaos. When they speak, they are projecting that inner disorder. The narrative is not a neat, linear database; it is a complex cloud of qualitative data points. The engineering task is entropy reduction by designing a workflow as shown in Figure 1 that filters this entropy into actionable clinical states without losing the essential human context.




Figure 1. Transforming high-entropy patient story into low-entropy

In traditional systems engineering, we might be tempted to eliminate the "noise" (e.g., by forcing the patient to only answer multiple-choice questions) to keep the system simple. However, in medicine, doing so risks losing the essential human context—such as the patient's underlying values, trust barriers, or qualitative symptoms that hold the key to an accurate diagnosis and treatment adherence. Therefore, the system must be engineered to accept the high-entropy input (listen to the unstructured story). Process and filter it (extract the clinical "signals" and map them to actionable medical states). Preserve the human context (integrate the patient's values and fears into the design of the care plan). In short, narrative data is "high-entropy", which means that the data is rich, messy, and disorganized, representing a challenge where the engineer must design a process to extract order from chaos without destroying the value of the chaos itself.

5. Healthcare Quality with Narrative-System Interface- A Stochastic Approach

We can model narrative-system integration using a *state space representation* or a *Markov Process* where the "Quality" of the outcome depends on the transition through "Listening States."

For the "*Narrative-Reliability*" *Markov Model* we can define five states based on the integration of the story into the system. The 5-State Space and Transition Matrix are as follows:

1. **State 0: Coherent Integration (Target):** This is the state where the system has absorbed the patient's story. The care plan is perfectly aligned with the patient's biological and personal context. (*Transient State*)
2. **State 1: Information Gap:** The system has clinical data (blood work, scans) but lacks the "story." There is high risk of misinterpreting symptoms. (*Transient State*)
3. **State 2: Narrative Dissonance:** The patient's story contradicts the system's data (e.g., patient says they are in pain, but scans are clear). (*Transient State*)
4. **State 3: Complete Success (Safe Discharge) (The Positive Absorbing State):** The care plan successfully aligns with the patient's biology and personal context, they recover, and they are safely discharged.
5. **State 4: System Failure (Absorbing State):** A medical error occurs because the "context" was ignored. (*The Negative Absorbing State*): A critical medical error occurs due to ignored context, leading to a permanent adverse outcome. The patient could not be treated.

To develop a Markov model for Narrative Reliability, we need to transition from a conceptual framework into a mathematically rigorous structure. In this model, we treat clinical interaction as a dynamic system where the patient's narrative is either successfully integrated, lost in transition, or actively misaligned, potentially leading to a system failure (an absorbing state). The transition matrix is now structured as follows.

5.1. Transition Matrix

The state space is $S = \{0, 1, 2, 3, 4\}$ representing the five clinical states as defined above. To model this as a discrete-time Markov chain, we define the transition probability $p_{ij} = P(X_{t+1} = j / X_t = i)$ which represents the probability of moving from state i to state j in a single clinical encounter or time step (e.g., a triage step, one day or shift in the ward, a specialist consultation, or a follow-up visit). The general transition matrix P is structured as follows:

$$P = \begin{bmatrix} P_{00} & P_{01} & P_{02} & P_{03} & P_{04} \\ P_{10} & P_{11} & P_{12} & P_{13} & P_{14} \\ P_{20} & P_{21} & P_{22} & P_{23} & P_{24} \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix} = \begin{bmatrix} Q & R \\ 0 & I \end{bmatrix}$$

Where Q = matrix of transitions between the transient states; R = matrix of transitions from the transient states to the two absorbing states; 0 = 2×3 zero matrix and I = 2×2 identity matrix. The following boundary conditions and structural rules apply.

Row stochastic property: For every row i , the probabilities must sum to 1, $\sum_j P_{ij}=1$

Absorbing States (State 3 and State 4): State 4 (System Success/Safe Discharge) is defined as an absorbing state; once the system enters this state, it cannot leave. State 3 (System Failure/Medical Error) is also defined as an absorbing state; once the system enters this state, it cannot leave either. Thus, $P_{33}=1$ and $P_{30}=P_{31}=P_{32}=P_{34}=0$. Similarly, $P_{44}=1$ and $P_{40}=P_{41}=P_{42}=P_{43}=0$.

5.2. Defining the Content (Transition Probabilities)

To populate the matrix with realistic clinical and operational meaning, we must define what triggers a transition between these states. Details of each transition are explained below.

Transition from state 0 (From Coherent Integration): The system is currently in perfect alignment. How can it degrade? There are four possibilities as follows.

P_{00} (Maintain Alignment): The clinician continues active listening and updates the electronic health record (EHR) with qualitative notes.

P_{01} (Drop to Information Gap): A handoff occurs (e.g., patient is transferred to a different ward). The clinical data transfers, but the "narrative" is lost in translation.

P_{02} (Drop to Narrative Dissonance): New objective lab results arrive that seem to contradict the patient's reported physical experience, creating cognitive dissonance for the care team.

P_{03} (Direct to System Success): A transition to complete success occurs because the patient is successfully discharged.

P_{04} (Direct to System Failure): Unlikely to happen directly from State 0 unless a sudden, catastrophic communication failure occurs. Thus, P_{04} is approximately zero.

Transition from state 1 (From Information Gap): The system has clinical data but lacks the human story. There are four possible transitions from this state also.

P₁₀ (Resolve to Integration): The clinician conducts a narrative interview or uses a "soft systems" intake protocol to capture the missing context.

P₁₁ (Stay in Gap): The consultation continues with a purely biomedical focus, ignoring the patient's subjective input.

P₁₂ (Shift to Dissonance): The patient expresses a symptom that does not match the cold data, but because there is no structured way to process it, it is viewed as an anomaly.

P₁₃ (System Success): The treatment is successful and patient is discharged.

P₁₄ (Escalate to Failure): A critical decision (e.g., prescribing medication) is made purely on lab values, ignoring a patient's historical context (e.g., "I previously had a severe psychological reaction to this class of drugs"), resulting in a major adverse event.

Transition from state 2 (From Narrative Dissonance): The story and the data are actively contradicting each other.

P₂₀ (Resolve to Integration): The clinician uses Narrative Medicine tools to investigate *why* the contradiction exists (e.g., exploring somatization, cultural reporting styles, or unrecognized localized pain), reconciling the data and the story.

P₂₁ (Default back to Information Gap): The clinician decides to ignore the patient's subjective story entirely and relies *solely* on the lab scans, effectively deleting the narrative to resolve the cognitive dissonance.

P₂₂ (Stay in Dissonance): The conflict remains unresolved; diagnostics are repeated, and the patient feels increasingly misunderstood.

P₂₃ (System Success): The treatment is successful and patient is discharged.

P₂₄ (Escalate to Failure): The clinician dismisses the patient's symptoms as "psychological" or "exaggerated" because the scans are clear, leading to a missed critical diagnosis (e.g., a rare condition or early-stage disease not visible on standard scans).

Transition from state 3 (System Success-Patient Discharge): Since this state is an absorbing state, once it is entered, it is not possible to transfer to any other states. From healthcare quality point of view, probability of entering this state is the probability of getting the patient treated and discharged from the system.

Transition from state 4 (System Failure-Absorbing State): Since this state is also an absorbing state, once it is entered, it is not possible to transfer to any other states. From healthcare quality point of view, probability of entering this state is the probability of getting a defect or the fraction of defects in the system. The following probability transition matrix has been constructed as a case example to illustrate the problem.

$$P = \begin{bmatrix} 0.85 & 0.05 & 0.05 & 0.05 & 0.00 \\ 0.60 & 0.20 & 0.10 & 0.08 & 0.02 \\ 0.70 & 0.05 & 0.15 & 0.08 & 0.02 \\ 0.00 & 0.00 & 0.00 & 1.00 & 0.00 \\ 0.00 & 0.00 & 0.00 & 0.00 & 1.00 \end{bmatrix}$$

5.3. The Engineering Rationale Behind the Probabilities

From Coherent Integration State (Row 0): The system is highly stable ($P_{00} = 0.85$). Because of robust digital handoff tools, the probability of dropping to an Information Gap State ($P_{01} = 0.05$) or to a Dissonance State ($P_{02} = 0.05$) is extremely low. A handoff is an interface, such as the moments when responsibility for a patient shifts from one team, shift, or department to another (e.g., from the Emergency Department to the Internal Medicine Ward, or from the day shift to the night shift). Without intervention, handoffs are highly vulnerable to degradation. A robust digital handoff tool is an engineered software interface within the Electronic Health Record (EHR) specifically designed to prevent this information loss, keeping the probability P_{01} as close to zero as possible. There is a steady 5% chance of a successful discharge ($P_{03} = 0.05$) at any step.

From Information Gap State (Row 1): If the system lacks narrative data, a mandatory "Narrative Medicine" digital intake triggers. This yields a massive 60% recovery rate back to integration ($P_{10} = 0.60$). The risk of direct failure is squeezed down to just 2% ($P_{14} = 0.02$).

From Narrative Dissonance State (Row 2): If a family-clinician conflict occurs, a mandatory "clinical pause" is enforced. This resolves the conflict back to integration in 70% of cases ($P_{20} = 0.70$), with only a 2% leak to direct failure ($P_{24} = 0.02$).

5.4. Solving System Equations

Step 1. The transition matrix is partitioned into Q (Transient Matrix) and R (Absorbing States) matrices.

Transient Matrix Q:

$$Q = \begin{bmatrix} 0.85 & 0.05 & 0.05 \\ 0.60 & 0.20 & 0.10 \\ 0.70 & 0.05 & 0.15 \end{bmatrix}$$

Transition to Absorbing States (R):

$$R = \begin{bmatrix} 0.05 & 0.00 \\ 0.08 & 0.02 \\ 0.08 & 0.02 \end{bmatrix}$$

Computing $N = [I - Q]^{-1}$ which is the inverse of the matrix $[I - Q]$, we obtain the expected number of times (steps), the system visits each transient state before absorption.

$$N = \begin{bmatrix} 15.79 & 1.05 & 1.05 \\ 13.57 & 2.16 & 1.05 \\ 13.80 & 0.99 & 2.11 \end{bmatrix}$$

System Throughput Insight: If a patient enters the system in State 0, they will spend a highly resilient average of 11.58 steps in safe integration, and about 1 step in an information gap or dissonance before exiting. Each step here could represent a shift in a day when the patient spends in the hospital ward for treatment or changing the clinics or a revisit to the physician.

Step 2: Compute the Final Absorption Probabilities ($B = N \times R$)

Long-run probability of the patient exiting via **Complete Success** versus **System Failure** is calculated as by $B = N \times R$, which results in following:

$$B = \begin{bmatrix} 15.79 & 1.05 & 1.05 \\ 13.57 & 2.16 & 1.05 \\ 13.80 & 0.99 & 2.11 \end{bmatrix} \times \begin{bmatrix} 0.05 & 0.00 \\ 0.08 & 0.02 \\ 0.08 & 0.02 \end{bmatrix} = \begin{bmatrix} 0.9575 & 0.0420 \\ 0.9353 & 0.0642 \\ 0.9380 & 0.0620 \end{bmatrix} = \begin{bmatrix} b_{03} & b_{04} \\ b_{13} & b_{14} \\ b_{23} & b_{24} \end{bmatrix}$$

In Markov chain theory, Matrix B is known as the Absorption Probability Matrix (or the ultimate occupancy probability matrix). While the fundamental matrix N tells us *how long* a patient will spend in the system, Matrix B tells us *where* the patient will ultimately end up. Mathematically, it represents the long-run probability that a patient starting in any given transient state (row) will eventually be absorbed by a specific absorbing state (column).

5.5. Deconstructing the Matrix B Structure

For our engineered hospital model, Matrix B is a matrix 3 x 2. It included state 3 (Complete Success) and state 4 (System Failure). Each row represents the patient's starting point in the care journey, and each column represents their final, irreversible destination. Sum of the cells in each row of matrix B is 1.00 representing the total possibility of ending up in a complete success or complete failure absorbing states depending on from which of the three transient states (0, 1, or 2) the patient starts with. They will end up in either state 3 or 4 with the probabilities in the related cells. $b_{i3} + b_{i4} = 1.00$ for $i=0, 1, \text{ or } 2$. Because State 3 (Success/Safe Discharge) and State 4 (Failure/Medical Error) are the only two absorbing states in this closed system, *every single patient must eventually exit through one of these two doors*. There is no third option. Therefore, the probability of ending up in *either* Success or Failure must equal 100%.

Real-World Translation of Our Solved B Matrix: Let's look at the exact values we calculated for our highly reliable, system-engineered hospital.

$$B = \begin{bmatrix} 0.9575 & 0.0425 \\ 0.9353 & 0.0647 \\ 0.9380 & 0.0620 \end{bmatrix}$$

Here is what these probabilities tell a healthcare systems engineer about the clinical process:

Row 0: Starting in Coherent Integration (State 0): $b_{03} = 95.75\%$ and $b_{04} = 4.25\%$. This means that if the admission process successfully aligns the patient's personal narrative with their clinical data right from the start, that patient has a 95.75% chance of a safe, successful discharge and only a 4.25% chance of experiencing critical system failure. This is our gold-standard safety target.

Row 1: Starting in an Information Gap (State 1): $b_{13} = 93.53\%$ and $b_{14} = 6.47\%$. This means that if a patient is admitted during a busy shift and their personal narrative is temporarily missing (e.g., no family history, unrecorded outside medications), their risk of a medical error increase by more than 50% (jumping from 4.25% to 6.47%).

Row 2: Starting in Narrative Dissonance (State 2): $b_{23} = 93.80\%$ and $b_{24} = 6.20\%$. This means that if a patient's self-reported symptoms actively conflict with their lab results, they face a 6.20% chance of experiencing a system failure; an incorrect diagnosis and unsuccessful treatment.

5.6. The Power of Matrix B in Decision-Making

In traditional clinical medicine, quality is often assessed retrospectively (e.g., "What was our mortality rate last month?"). In systems engineering, Matrix B acts as a *predictive, proactive quality tool*. It allows hospital administrators to:

1. **Calculate Risk Exposure Immediately upon Admission:** The moment a patient is admitted, the system can assess their starting state. If they are flagged as "State 1" (no primary caregiver present, high communication barrier), the system knows their inherent risk of failure is 6.47%.
2. **Justify Resource Allocation:** If an administrator wants to know if they should hire a "Narrative Care Coordinator" to resolve patient-doctor conflicts (State 2), Matrix B provides the exact mathematical justification. By moving a patient from State 2 back to State 0, the probability of success structurally increases from 93.80% to 95.75%, directly preventing a calculated number of medical errors.

To find the exact number of steps needed to transition between individual transient states and ultimately reach the absorbing states, we use two separate but related matrices from Markov chain theory. **The Fundamental Matrix N** gives the expected number of steps spent in *each individual stage* before final absorption. **The Time-to-Absorption Vector (t)** gives the total accumulated steps required to hit *any* final absorbing state. We can extract these exact step counts from our highly reliable, system-engineered hospital model.

1. Number of Steps Spent Within Each Transient Stage (Matrix N):

The elements n_{ij} of our solved Fundamental Matrix N represent the average number of steps (shifts or days) a patient spends in state j, given that they started their journey in state i. Operational interpretation of inter-stage steps are as follows:

If a patient starts in Coherent Integration (Row 0): They will spend an average of 15.79 steps safely integrated in State 0. Even though they started out safe, due to operational disruptions (like shift handoffs), they will drop down and spend an average of 1.05 steps in an Information Gap (State 1) and 1.05 steps in Narrative Dissonance (State 2) before they finally exit the system.

If a patient starts in an Information Gap (Row 1): Because the system is engineered to recover, they will quickly transition out of the gap, but they will still accumulate an average of 2.16 steps stuck in State 1. Once the system recovers their narrative, they will spend a massive 13.57 steps safely in State 0.

2. Total Steps Required to Reach Final Absorption (Vector t):

To find the total number of clinical steps a patient takes from their admission state until they finally cross the finish line—either Complete Success (State 3) or System Failure (State 4), we calculate the row sums of N:

$$15.79 + 1.05 + 1.05 = 17.89$$

$$13.57 + 2.16 + 1.05 = 16.78$$

$$13.80 + 0.99 + 2.11 = 16.90$$

Converting Steps to Real-World Hospital Time: Assuming our previous operational cadence where 1 step = 1 shift = 8 hours (3 steps per day):

Starting in Coherent Integration (State 0): Total steps to absorption = 17.89 shifts (5.96 days)

Starting in an Information Gap (State 1): Total steps to absorption = 16.78 shifts (5.59 days)

Starting in Narrative Dissonance (State 2): Total steps to absorption = 16.90 shifts (5.63 days)

3. Key Systems Engineering Insights from the Step Data:

Looking at these step counts reveals a fascinating, counterintuitive property of highly reliable systems:

Integrated Patients Stay Longer: Patients who start in State 0 spend *more* total time in the hospital (17.89 steps) than patients who start in a compromised state like State 1 (16.78 steps). Why? Because when a system is fully integrated, it eliminates the rapid, premature exits to failure ($p_{04} = 0$). The system takes its time to treat the patient thoroughly and safely, meaning the patient stays long enough to get well.

Compromised Patients Exit Faster: Patients starting in State 1 or State 2 have shorter total stays (16.8 steps). This occurs because these states suffer from direct "leaks" to failure ($p_{14} = 0.02$, $p_{24} = 0.02$). A portion of these patients exit the system prematurely due to a critical medical error, which skews the average total step count

downward. By analyzing the number of steps spent in each stage, a systems engineer can perfectly balance a hospital's *quality targets* (keeping patients safely in State 0) with its *capacity targets* (predicting bed occupancy and throughput times).

6. Conclusion

This paper has presented a novel sociotechnical framework that structures healthcare quality through a systems engineering lens, specifically integrating qualitative narrative context with quantitative stochastic modeling. By mapping patient journeys using an expanded five-state Markov chain—encompassing Coherent Integration, Information Gap, Narrative Dissonance, and competing absorbing states of Complete Success and System Failure—we have demonstrated that patient safety and operational throughput are emergent properties of system design rather than individual clinical compliance. Central to this framework is the operationalization of Narrative Medicine and Narrative Competence. Rather than viewing a patient's story as extraneous "noise," narrative medicine redefines the patient's perspective as a vital, high-entropy data input that contains critical diagnostic clues and values. Cultivating narrative competence ensures that the clinical system develops the baseline capacity to absorb, interpret, and actively process these unstructured stories, transforming them into structured, actionable clinical states without stripping away essential human empathy. The mathematical calibration and subsequent evaluation of the fundamental matrix N and absorption matrix B yield three critical insights for healthcare systems engineering:

The Vulnerable Dynamics of Clinical Handoffs: Information loss at systemic interfaces inherently degrades care from a state of Coherent Integration to an Information Gap or Narrative Dissonance. When narrative competence is absent, the system struggles to bridge the inherent information asymmetry between the physician and the patient, creating a severe operational imbalance. Without engineered interventions, this systemic decay significantly increases clinical risk, inflating the ultimate probability of system failure. Implementing robust digital handoff tools acts as a structural filter to mitigate this context decay and preserve narrative data integrity across institutional boundaries.

The Efficiency of Stochastic Recovery Pathways: While single-state holding times follow a geometric distribution capturing local stasis versus state leakage, the global entries of the fundamental matrix N reveal a broader throughput reality. Highly resilient workflows do not require error-free human execution; instead, they require high self-loop stabilities (p_{00}) in safe states and robust recovery pathways (p_{10} , p_{20}) that rapidly pull clinicians out of data-narrative mismatches via mandatory clinical pauses or automated intake triggers.

The Rationalization of Quality Costs: By quantifying the exact number of operational steps and ultimate absorption probabilities, this model provides administrators with a predictive tool to financially and operationally justify systemic interventions. Rather than relying on retrospective clinical audits, decision-makers can utilize matrix B calculations to measure real-time risk exposure upon admission and strategically allocate human resources, such as hiring Narrative Care Coordinators to directly prevent calculated medical errors, bridging the gap between mechanical efficiency and humanistic empathy. Ultimately, shifting the healthcare paradigm from a closed, purely biomedical view to an open, system-engineered architecture proves that real healthcare quality cannot simply be inspected into a process through late-stage error analysis. Instead, it must be designed into the system from the ground up. By embedding narrative competence at the foundational level of system architecture, healthcare organizations can mitigate systemic variability, reduce information asymmetry, and create a highly reliable clinical environment where it is easy for clinicians to do the right thing and structurally difficult to do the wrong thing. Future research should focus on extending this discrete Markovian framework into Semi-Markov Processes to capture time-dependent risks and cumulative narrative debt across complex, multi-day patient pathways.

One of the issues that should be further incorporated into healthcare quality and the model presented above is narrative medicine. Educating healthcare providers in literature, specifically patient stories, illness narratives, and novels, plays a critical role in enhancing healthcare quality. In the context of the socio-technical framework of this paper, this education directly functions as a systemic intervention that fundamentally alters the statistical behavior and transition probabilities of the patient care pathway. Human variability and information asymmetry are identified as primary drivers of clinical errors. Training clinicians in the medical humanities addresses these exact systemic failure modes by cultivating Narrative Competence.

Enhancing the "Input Processor" (Data Capture): Novels and patient stories train clinicians in close reading and structural text analysis. When applied clinically, this skill allows providers to read a patient's unstructured, "high-

entropy" spoken story more effectively. They learn to notice non-linear timelines, metaphors for pain, and omitted details, significantly improving the system's ability to extract the true clinical "signal" from the narrative "noise".

Mitigating Cognitive Bias and Reducing Dissonance: Exposure to diverse literary perspectives breaks down rigid clinical assumptions. When a patient's story conflicts with lab reports, a narratively trained clinician is less likely to defensively dismiss the patient. Instead, they possess the interpretive capacity to understand why the dissonance exists, preventing a premature lapse into an information gap or an escalation to system failure.

Bridging Information Asymmetry: Literature fosters deep empathy and a "sensitive state of mind". This shifts the physician-patient dynamic from an unbalanced, purely technical transactional exchange toward a collaborative, shared decision-making process.

Incorporating Literary Education into the Markov Model: In systems engineering, an educational or training program is treated as a system parameters optimization tool. By introducing literary education, we can modify the underlying mechanics of the state-space model in two distinct ways:

A. Quantifying the Shift in Transition Probabilities (P): If this paper's baseline model represents a traditional, purely biomedical hospital, introducing mandatory narrative/literary education directly changes the transition probabilities by strengthening the recovery pathways and tightening the leaks to failure.

- *Increasing Recovery Probabilities (p_{10} and p_{20}):* Clinicians trained in literature are significantly faster at recognizing when they are in an Information Gap (State 1) or Narrative Dissonance (State 2). Because they know how to interpret stories, their probability of actively resolving these states back to Coherent Integration (State 0) increases dramatically.
- *Decreasing Direct Leaks to Failure (p_{14} and p_{24}):* Because narrative competence prevents the automatic dismissal of subjective suffering when scans are clear, the dangerous "leaks" from a data-narrative conflict directly into System Failure (State 4) are suppressed.

B. Impact on the Fundamental Matrix N (Sojourn Times): By increasing the recovery rates (p_{10} , p_{20}) through education, the fundamental matrix N will reflect that patients spend significantly fewer steps stuck in compromised transient states (State 1 and State 2). The expected holding time within safe, fully integrated care (n_{00}) expands, creating a much more resilient buffer during the patient's average stay.

C. Impact on the Absorption Matrix B (Ultimate Outcomes): When you rerun the system equation $B = N \times R$ using the post-education probability parameters, the long-run risk profile structurally shifts. The ultimate probability of crossing the positive boundary into Complete Success (b_{i3}) will shift closer to the >95% target, while the ultimate probability of crashing into System Failure (b_{i4}) is compressed toward zero.

From a systems design perspective, educating healthcare providers via patient narratives and literature is not merely an auxiliary cultural exercise; it is a structural intervention aimed at maximizing input fidelity. Within our proposed Markov framework, literary education operates as a parameter optimization vector. By structurally embedding narrative competence into provider training, the system increases its internal error-recovery capacity, mathematically boosting the transition probabilities p_{10} and p_{20} , while driving down the variance and direct failure leaks (p_{14} , p_{24}) that characterize standard, un-optimized clinical workflows. This structurally shifts the ultimate occupancy matrix B heavily toward safe, successful patient discharge.

References

- Abdel Malak, M., Quality Improvement in Medical Education: Implications for Curriculum Change, *Academic Medicine*, vol. 92, no. 4, pp. 431-432, 2017.
- Aronson, J. K., Medication errors: definitions and classification, *British Journal of Clinical Pharmacology*, vol. 67, no. 6, pp. 599-604, 2009.
- Benneyan, J. C. and Kaminsky, F. C., Another View on How to Measure Healthcare Quality, *Quality Progress*, vol. 28, pp. 120-124, 1995.
- Berwick, D. and Daniel, M. F., Evaluating the Quality of Medical Care: Donabedian's Classic Article 50 Years Later, *Milbank Quarterly*, vol. 94, no. 2, pp. 237-241, 2016.
- Berwick, D. M. and Leape, L. L., Reducing errors in medicine: It's time to take this more seriously, *British Medical Journal (BMJ)*, vol. 319, p. 136, 1999.

- Birnbaum, D., Measuring Healthcare Quality, *Quality Progress*, vol. 27, no. 4, pp. 108-112, 1994.
- Charon, R., Narrative Medicine: A Model for Empathy, Reflection, Profession, and Trust, *JAMA*, vol. 286, no. 15, pp. 1897-1902, 2001.
- Charon, R., To See the Suffering, *Academic Medicine*, vol. 92, no. 12, pp. 1668-1670, 2017.
- Donabedian, A., Evaluating the quality of medical care, *Milbank Memorial Fund Quarterly*, vol. 44, no. 3, pp. 166-206, 1966.
- François, P., Peyrin, J. C., Touboul, M., Labarere, J., Reverdy, T., and Vinck, D., Evaluating Implementation of Quality Management Systems in a Teaching Hospitals Clinical Departments, *International Journal for Quality in Health Care*, vol. 15, pp. 47-55, 2003.
- Howell, J. and Ayanian, J., Ernest Codman and the end result system: a pioneer of health outcomes revisited, *Journal of Health Services Research & Policy*, vol. 21, no. 4, pp. 279-281, 2016.
- Hurwitz, B. and Charon, R., A narrative future for health care, *Lancet*, vol. 381, no. 9881, pp. 1886-1887, 2013.
- Jones, A. H., Narrative in Medical Ethics, *BMJ*, vol. 318, no. 7178, pp. 253-256, 1999.
- Lee, C. K. and Foo, S., Narratives in healthcare, in R. K. Bali and A. Dwivedi (Eds.), *Healthcare knowledge management: Issues, Advances and Successes*, Springer, 2006.
- McCullough, L. B., Coverdale, J. H., and Chervenak, F. A., Constructing a Systematic Review for Argument-Based Clinical Ethics Literature, *Journal of Medicine and Philosophy*, vol. 32, pp. 65-76, 2007.
- Moulton, B. and King, J. S., Aligning ethics with medical decision-making: the quest for informed patient choice, *Journal of Law, Medicine & Ethics*, vol. 38, no. 1, pp. 85-97, 2010.
- Nelson, W. A., Gardent, P. B., Shulman, E., and Splaine, M. E., Preventing ethics conflicts and improving healthcare quality through system redesign, *BMJ Quality & Safety*, vol. 19, no. 6, 2009.
- Oyebode, F., The medical humanities: literature and medicine, *Clinical Medicine*, vol. 10, no. 3, pp. 242-244, 2010.
- Rasmussen, J., Human errors: A taxonomy for describing human malfunction in industrial installations, *Journal of Occupational Accidents*, vol. 4, no. 2-4, pp. 311-333, 1982.
- Ross, T. K., Healthcare Quality Management: Tools and Applications, *Jossey-Bass: Wiley, New York*, 2013.
- Savsar, L. and Savsar, M., Healthcare Quality and Narrative Medicine, *IJASOS- International E-Journal of Advances in Social Sciences*, vol. 5, no. 15, pp. 1404-1413, 2019.
- Selanders, L., Florence Nightingale: British Nurse, Statistician, and Social Reformer, *Encyclopedia Britannica*, 2019.
- Sugarman, J. and Sulmasy, D. P., Methods of Medical Ethics, *Georgetown University Press*, 2001.
- Tekiner, H., Ethical Considerations Related to Narrative Medicine, in Omur Sayligil (Ed.), *Patient Centered Medicine*, Intech, 2016.
- Waring, J., et al., Sociological and mainstream approaches to healthcare quality and safety, *Foundational Concept Discussion*, 2015.
- Wennberg, J. E., Dealing with Medical Practice Variations: A Proposal for Action, *Health Affairs*, vol. 3, no. 2, 1982.
- Wennberg, J. E., Tracking Medicine: A Researcher's Quest to Understand Health Care, *Oxford University Press*, 2010.
- Zapf, D. and Reason, J. T., Introduction: Human Errors and Error Handling, *Applied Psychology: An International Review*, vol. 43, no. 4, pp. 427-432, 1994.

Biographies

Leyla Savsar Dericioglu. Assistant Prof. of Literature at Istinye University, Istanbul. She completed her BSc at Kuwait University, MS education at Boston University and PhD at State University of New York at Binghamton, NY, USA. She is interested in applications of literature to various areas including healthcare quality through narrative medicine. She has related publications in several different journals and conference proceedings.

Mehmet Savsar is Professor and chairman of Industrial Engineering Department at Üsküdar University, Istanbul, Turkey. He received his BSc degree from Karadeniz Technical University (KTU) in Turkey and MSc degree from the Pennsylvania State University (PSU), USA, both in Industrial Engineering. He received his PhD dual degree also from Pennsylvania State University, USA in Industrial Engineering and Operations Research. He has been in academia and research for almost half a century, teaching and doing research in various universities, including the Penn State in USA, Anadolu University in Eskişehir, Turkey, King Saud University in Riyadh, Saudi Arabia, Kuwait University in Kuwait, and Uskudar University in Turkey. His research extends in various industrial engineering areas, including production systems modeling, automation and flexible manufacturing, optimization, simulation, reliability, quality and maintenance. He has over 100 papers published in international journals, over 120 papers published in international conference proceedings and several book chapters and books. He also has a research award and several best paper awards.